

Certificate of Analysis

Company: Jeezum Crow Bud Co. 691 Orchard Drive Bridport, VT 05734 Customer ID: 191226-01 Grower License #: N/A Sample ID: Lot 1 Biomass Lot: N/A Matrix: Flower Date Sampled: N/A Date Received: 10/21/2022

Report Date: 11/17/2022 Date Analyzed: 11/15/2022 Analyst: 45 Report ID: C221021BE

Pesticides/Mycotoxins Summary

| Category II Residual Pesticide | LOQ (ppm) | Concentration (ppm) |
|-----------------------------------|-----------|---------------------|
| Abamectin | 0.0100 | <loq< th=""></loq<> |
| Acephate | 0.0010 | <loq< th=""></loq<> |
| Acequinocyl | 0.0010 | <loq< th=""></loq<> |
| Azoxystrobin | 0.0010 | <loq< th=""></loq<> |
| Bifenazate | 0.0010 | <loq< th=""></loq<> |
| Bifenthrin | 0.0010 | <loq< th=""></loq<> |
| Carbaryl | 0.0010 | <loq< th=""></loq<> |
| Cypermethrin | 0.0100 | <loq< th=""></loq<> |
| Etoxazole | 0.0010 | <loq< th=""></loq<> |
| Imidacloprid | 0.0010 | <loq< th=""></loq<> |
| Myclobutanil | 0.0010 | <loq< th=""></loq<> |
| Pyrethrin I | 0.0010 | <loq< th=""></loq<> |
| Pyrethrin II | 0.0010 | <loq< th=""></loq<> |
| Spinosyn A | 0.0010 | <loq< th=""></loq<> |
| Spinosyn D | 0.0010 | <loq< th=""></loq<> |

| Category II Mycotoxin | LOQ (ppm) | Concentration (ppm) |
|----------------------------------|-----------|---------------------|
| Ochratoxin A | 0.0020 | NOT TESTED |
| Aflatoxin B1 | 0.0002 | NOT TESTED |
| Alfatoxin B2 | 0.0010 | NOT TESTED |
| Alfatoxin G1 | 0.0002 | NOT TESTED |
| Alfatoxin G2 | 0.0010 | NOT TESTED |
| | | |
| Category I Residual Pesticide | LOQ (ppm) | Concentration (ppm) |
| Chlorpyrifos | 0.0010 | <loq< th=""></loq<> |
| Imazalil | 0.0010 | <loq< th=""></loq<> |



| 16.38% | |
|---------------------|--|
| Percent Moisture | |

LOQ = The lowest quantity this method can reliably detect. Any pesticide or mycotoxins that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

ppb = parts per billion

Pesticides/Mycotoxin Methodology: Liquid Chromatography with Tandem Mass Spectrometry using PerkinElme QSight® LX50 UHPLC and QSight 220 Mass Spectrometer

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

Luke E.M.

Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:

(802) 540-0148 laboratory@biadiagnostics.com